



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAK00000R3**  
Revision No:  
**1**

## This is to certify:

**That the Aramid Fibre Products**

with type designation(s)  
**Aramid Woven (200-800 g/m<sup>2</sup>) with and without chopped strand mats (50-600 g/m<sup>2</sup>)**

Issued to

**Telateks Tekstil Urunleri Sanayi Ve Ticaret A.S.**  
**(METYX Composites)**  
**Tuzla, İstanbul, Türkiye**

is found to comply with

**DNV class programme DNV-CP-0092 – Type approval – Aramid fibre reinforcements**  
**DNV rules for classification – High speed and light craft**  
**DNV standard DNV-ST-0342 – Craft**

## Application :

**For use in marine vessels according to stated Rules/Standards. Approved for hull and superstructure applications.**

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.**

Issued at **Høvik** on **2022-12-21**

This Certificate is valid until **2027-12-20**.

DNV local unit: **Istanbul**

Approval Engineer: **Gisle Hersvik**

for **DNV**

-----  
**Gustav Heiberg**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



## Product description

### METYX® Aramid Fibre Reinforcements.

Aramid Woven (200-800 g/m<sup>2</sup>) with and without CSM (50-600 g/m<sup>2</sup>)

- Plain woven

#### Legends:

A: Aramid

W: Woven

CSM: Chopped Strand Mat

The following indicative properties have been verified by Type Testing of laminates:

Property - Orientation	Test Method	AW470		
Tensile Strength – 0°	ISO 527	404	msmv	MPa
Tensile Modulus – 0°	ISO 527	23	msv	GPa
Tensile Elongation – 0°	ISO 527	2.0 / 1.8	msmv	%
Flexural Strength	ISO 14125	179	msmv	MPa
Flexural Modulus	ISO 14125	15	msv	GPa
Interlaminar Shear Strength	ISO 4585	31	mean	MPa
Compressive Strength	ASTM D695	41	msmv	MPa
Compressive Modulus	ASTM D695	8	msv	GPa
Compressive Elongation	ASTM D695	1.1 / 0.4	msmv	%
Fibre content	ISO 1172	51	mean	%
Resin	Scott Bader Crystic VE676-03 Vinyl Ester Resin			
Curing Procedure for Type Testing	24 hrs at room temperature, 3 hrs at 80°C			

#### Legends:

msmv = Manufacturer's Specified Minimum Value (verified to be below mean – 2 x standard deviation of Type Test results)

msv = Manufacturer's Specified Value

mean = Mean of Type Test results

## Application/Limitation

The approval covers the weight ranges stated above.

Moisture content in the aramid fibre is approx. 4.4%.

Approved for hull and superstructure applications.

Any significant changes in design and / or quality of the material will render the approval invalid.

## Type Approval documentation

### Tests carried out

Type Testing carried out according to **Type Approval documentation**.

### Marking of product

Product shall be marked with *manufacturer's name*: **Telateks Tekstil Urunleri Sanayi Ve Ticaret A.S. (METYX Composites), Tuzla / Istanbul, Turkey** and *type designation*.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV Type Approval Certificate.

### Periodical assessment



Job Id: **262.1-037508-1**  
Certificate No: **TAK00000R3**  
Revision No: **1**

The scope of the Periodical Assessment is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Periodical assessments (for Certificate Retention / Certificate Renewal) shall be performed according to DNV-CP-0338.

This certificate is only valid if required Periodical assessments are carried out with satisfactory results. To check the validity of this certificate, please look it up in <https://approvalfinder.dnv.com>

END OF CERTIFICATE